

Stromme Cement Remover

Page 1/10

Printing date 04.05.2016

Version number 3

Revision: 04.05.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Stromme Cement Remover
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Cleaning material/ Detergent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SevenSeas
Strandveien 55,
1366 Lysaker, Norway
www.stromme.com
Phone : +47 67526060
- **Informing department:**
Ane Fosseng
General Manager - Norway
SevenSeas
D +47 67526060
M +47 99595911
F +47 67526050
ane.fosseng@stromme.com
- **1.4 Emergency telephone number:**
Gift-Informationszentrum Nord, Göttingen
Poison Information Center, Göttingen
Tel.: +49 (0)551 19240
(German and English only)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.



GHS07

STOT SE 3 H335 May cause respiratory irritation.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



C; Corrosive

R34: Causes burns.



Xi; Irritant

R37: Irritating to respiratory system.

(Contd. on page 2)

GB

Stromme Cement Remover

Page 2/10

Printing date 04.05.2016

Version number 3

Revision: 04.05.2016

(Contd. from page 1)

- Information concerning particular hazards for human and environment:**
 The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- Classification system:**
 The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- 2.2 Label elements**
- Labelling according to Regulation (EC) No 1272/2008**
 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms**



GHS05 GHS07

- Signal word** Danger
- Hazard-determining components of labelling:**
 hydrogen chloride
 phosphoric acid
- Hazard statements**
 H314 Causes severe skin burns and eye damage.
 H335 May cause respiratory irritation.
- Precautionary statements**
 P260 Do not breathe mist/vapours/spray.
 P280 Wear protective gloves / eye protection.
 P271 Use only outdoors or in a well-ventilated area.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a doctor.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
 P405 Store locked up.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- 2.3 Other hazards**
- Results of PBT and vPvB assessment**
- PBT:** Not applicable.
- vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures**
- Description:**
 Product contains special inhibitors.
 Mixture of the substances listed below including additives not requiring identification.

Dangerous components:

CAS: 160875-66-1 Polymer	2-Propylheptanoethoxylate ☞ Eye Dam. 1, H318	1-<2.5%
-----------------------------	-------------------------------------------------	---------

(Contd. on page 3)

GB

Stromme Cement Remover

Page 3/10

Printing date 04.05.2016

Version number 3

Revision: 04.05.2016

		(Contd. from page 2)
CAS: 7647-01-0 EINECS: 231-595-7 Reg.nr.: 01-2119484862-27-X	hydrogen chloride ⚠ Met. Corr. 1, H290; Skin Corr. 1B, H314; ⚠ STOT SE 3, H335	25 - 50%
CAS: 7664-38-2 EINECS: 231-633-2 Reg.nr.: 01-2119485924-24-X	phosphoric acid ⚠ Met. Corr. 1, H290; Skin Corr. 1B, H314	3-<10%
• Components according to regulation EC 648/2004 on detergents		
non-ionic surfactants		< 5%
• Additional information For the wording of the listed hazard phrases refer to section 16.		

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** Instantly remove any clothing contaminated by the product.
- **After inhalation**
Supply fresh air or oxygen; call for doctor.
In case of unconsciousness bring patient into stable side position for transport.
- **After skin contact**
Instantly wash with water and soap and rinse thoroughly.
Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.
- **After eye contact**
Keep eye lids open and rinse them with ample amounts of clean running water for at least 15 minutes.
Call a doctor immediately.
- **After swallowing**
Do not induce vomiting; instantly call for medical help.
Drink copious amounts of water and provide fresh air. Instantly call for doctor.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.
- **Information for doctor**

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **For safety reasons unsuitable extinguishing agents** Not applicable.
- **5.2 Special hazards arising from the substance or mixture**
Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:
Carbon monoxide (CO)
Hydrogen chloride (HCl)
- **5.3 Advice for firefighters**
- **Protective equipment:**
In case of fire wear breathing equipment being independent of ambient air and suit provided full protection against chemicals.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter drains. Provide sufficient fire fighting water retention.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation

(Contd. on page 4)

GB

Stromme Cement Remover

Printing date 04.05.2016

Version number 3

Revision: 04.05.2016

(Contd. from page 3)

- Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Do not allow to enter the ground/soil.
Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
Send for recovery or disposal in suitable containers.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Open and handle container with care.
Restrict the quantity stored in the work place.
Avoid contact with eyes and skin.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**
Store only in unopened original containers.
- **Information about storage in one common storage facility:**
Store away from metals.
Store away from foodstuffs.
Do not store together with alkalis (caustic solutions).
- **Further information about storage conditions:**
Protect from frost.
Store in cool, dry conditions in well sealed containers.
Protect from heat and direct sunlight.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:**
WEL: workplace exposure limit

7647-01-0 hydrogen chloride

WEL (Great Britain)	Short-term value: 8 mg/m ³ , 5 ppm Long-term value: 2 mg/m ³ , 1 ppm (gas and aerosol mists)
IOELV (European Union)	Short-term value: 15 mg/m ³ , 10 ppm Long-term value: 8 mg/m ³ , 5 ppm

7664-38-2 phosphoric acid

WEL (Great Britain)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
IOELV (European Union)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³

- **DNELs**

7647-01-0 hydrogen chloride

Inhalative	DNEL (worker, long-term, local)	8 mg/m ³ (human)
------------	---------------------------------	-----------------------------

(Contd. on page 5)



GB

Stromme Cement Remover

Printing date 04.05.2016

Version number 3

Revision: 04.05.2016

		(Contd. from page 4)
DNEL (worker, short-term, local)		15 mg/m ³ (human)
<ul style="list-style-type: none"> • PNECs 		
7647-01-0 hydrogen chloride		
PNEC STP	0.036 mg/L (.)	
PNEC aqua (freshwater)	0.036 mg/L (.)	
PNEC aqua (intermittent releases)	0.045 mg/L (.)	
PNEC aqua (marine water)	0.036 mg/L (.)	
<ul style="list-style-type: none"> • Additional information: The lists that were valid during the compilation were used as basis. • 8.2 Exposure controls • Personal protective equipment • General protective and hygienic measures Keep away from foodstuffs, beverages and food. Take off all contaminated clothing immediately. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. • Breathing equipment: Use breathing protection only when aerosol or mist is formed. Filter A2B2P2 • Protection of hands: 		
		
Protective gloves.		
<p>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</p>		
<ul style="list-style-type: none"> • Material of gloves Natural rubber, i.e. Lapren 706 from company KCL, Email: Vertrieb@kcl.de Recommended thickness of the material: ≥ 0.6 mm • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • For the permanent contact gloves made of the following materials are suitable: Time for penetration: > 480 min. • Eye protection: 		
		
Tightly sealed safety glasses.		
<ul style="list-style-type: none"> • Body protection: Protective work clothing. 		

SECTION 9: Physical and chemical properties	
<ul style="list-style-type: none"> • 9.1 Information on basic physical and chemical properties • General Information • Appearance: 	
Form:	Fluid
Colour:	reddish
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	ca. 1
(Contd. on page 6)	

GB

Stromme Cement Remover

Page 6/10

Printing date 04.05.2016

Version number 3

Revision: 04.05.2016

(Contd. from page 5)

<ul style="list-style-type: none"> · Change in condition 	
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Melting point/Melting range: 	Not determined
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Boiling point/Boiling range: 	100 °C
<ul style="list-style-type: none"> · Flash point: 	Not applicable
<ul style="list-style-type: none"> · Inflammability (solid, gaseous) 	Not applicable.
<ul style="list-style-type: none"> · Ignition temperature: 	
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Decomposition temperature: 	Not determined.
<ul style="list-style-type: none"> · Self-inflammability: 	Product is not selfigniting.
<ul style="list-style-type: none"> · Danger of explosion: 	Product is not explosive.
<ul style="list-style-type: none"> · Critical values for explosion: 	
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Lower: 	Not determined.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Upper: 	Not determined.
<ul style="list-style-type: none"> · Vapour pressure at 20 °C: 	23 hPa
<ul style="list-style-type: none"> · Density at 20 °C 	1.094 g/cm ³
<ul style="list-style-type: none"> · Vapour density 	Not determined.
<ul style="list-style-type: none"> · Evaporation rate 	Not determined.
<ul style="list-style-type: none"> · Solubility in / Miscibility with Water: 	Fully miscible
<ul style="list-style-type: none"> · Partition coefficient (n-octanol/water): 	Not determined.
<ul style="list-style-type: none"> · Viscosity: 	
<ul style="list-style-type: none"> <ul style="list-style-type: none"> dynamic: 	Not determined.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> kinematic: 	Not determined.
<ul style="list-style-type: none"> · Solvent content: 	
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Organic solvents: 	0.0 %
<ul style="list-style-type: none"> · 9.2 Other information 	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
None in case of intended use and storage in compliance with instructions.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

7647-01-0 hydrogen chloride		
Inhalative	LC50	3.2 mg/l/0.5h (rat)

(Contd. on page 7)

GB

Stromme Cement Remover

Page 7/10

Printing date 04.05.2016

Version number 3

Revision: 04.05.2016

(Contd. from page 6)

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**
May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** The contained surfactants are easily biodegradable
- **Other information:** There are no data available about the preparation.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **AOX-indication:**
- **Remark:**
The products do not contain NTA (nitrilotriacetic acid) and EDTA (ethylenediaminetetraacetic acid) and also no adsorbable organic halogen compounds (AOX), nitrates, heavy metal compounds and formaldehyde.
- **General notes:**
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
The waste code numbers mentioned are recommendations based on the probable use of the product.

(Contd. on page 8)

GB

Stromme Cement Remover

Page 8/10

Printing date 04.05.2016

Version number 3



Revision: 04.05.2016

(Contd. from page 7)

· European waste catalogue	
07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 01 00	wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals
07 01 01*	aqueous washing liquids and mother liquors

- **Uncleaned packagings:**
- **Recommendation:** Dispose of packaging according to regulations on the disposal of packagings.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN1760
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1760 CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID) CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID)
· 14.3 Transport hazard class(es) · ADR	
	
· Class · Label	8 (C9) Corrosive substances. 8
· IMDG, IATA	
	
· Class · Label	8 Corrosive substances. 8
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Kemler Number: · EMS Number: · Segregation groups · Stowage Category · Stowage Code	Warning: Corrosive substances. 80 F-A,S-B Acids B SW2 Clear of living quarters.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.

(Contd. on page 9)

GB

Stromme Cement Remover

Page 9/10

Printing date 04.05.2016

Version number 3

Revision: 04.05.2016

(Contd. from page 8)

• **Transport/Additional information:**

• **ADR**

- **Limited quantities (LQ)**
- **Excepted quantities (EQ)**

1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

- **Transport category**
- **Tunnel restriction code**

2
E

• **IMDG**

- **Limited quantities (LQ)**
- **Excepted quantities (EQ)**

1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

• **Remarks:**

The product is not hazardous to the marine environment (NOT-HME) as per ghs criteria. Stromme Cement Remover meets the requirements for the protection of the marine environment, as described in Annex V of the MARPOL 73/78 item 1.7.5 .

• **UN "Model Regulation":**

UN 1760 CORROSIVE LIQUID, N.O.S.
(HYDROCHLORIC ACID), 8, II

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger
- **Hazard-determining components of labelling:**
hydrogen chloride
phosphoric acid

• **Hazard statements**

H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.

• **Precautionary statements**

P260 Do not breathe mist/vapours/spray.
P280 Wear protective gloves / eye protection.
P271 Use only outdoors or in a well-ventilated area.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a doctor.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P405 Store locked up.

(Contd. on page 10)

GB

Stromme Cement Remover

Page 10/10

Printing date 04.05.2016

Version number 3

Revision: 04.05.2016

(Contd. from page 9)

P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P501 Dispose of contents/container in accordance with local/regional/national/
 international regulations.

• **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

• **National regulations**

• **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

• **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is contained.

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Relevant phrases**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

• **Department issuing data specification sheet:**

This Material Safety Data Sheet has been drawn up in cooperation with:

DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,
 phone: (+49) 511 42079 - 0, reach@dekra.com.

• **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

• *** Data compared to the previous version altered.**

GB